| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|----------|--------|---|---|---------------------|---------|------------------|
| 151 | 286465 | ((arm or member or bracket or mount) with (hollow or tubular)) same (slot or opening or hole or bore or channel or passageway or passage or trough or aperture) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/11/18 09:43 |
| L2 | 8012 | ((cable or cabling or wire\$1 or wiring or line\$1 or cord) near (slot or opening or hole or bore or channel or passageway or passage or trough or aperture)) and 1 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/11/18 09:17 |
| L5 | 116230 | ((arm or member or bracket or mount) with (pivoting or pivotable or pivotal or pivot\$1 or swivel\$5 or rotatable or rotating or rotate\$1)) and 1 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/11/18 09:20 |
| L6 | 241 | 2 and "248"/\$.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/11/18 09:23 |
| L7 | 211 | 2 and "403"/\$.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/11/18 09:44 |
| L8 | 116230 | 1 and 5 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/11/18 09:21 |
| L9 | 3610 | 8 and "248"/\$.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/11/18 09:21 |
| L10 | 2518 | 8 and "403"/\$.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR · | OFF | 2004/11/18 09:21 |

| L25 | 6892 | (((arm or member or bracket or mount) with (hollow or tubular)) same ((arm or member or bracket or mount) near (channel or trough or flange\$1 or rail or track))) and ((arm or member or bracket or mount) near (slot or opening or hole or bore or channel or passageway or passage or trough or aperture)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/11/18 09:50 |
|-----|------|---|---|------|-----|------------------|
| L30 | 369 | 25 and "248"/\$.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/11/18 09:50 |
| L31 | 199 | 25 and "403"/\$.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR . | OFF | 2004/11/18 09:55 |
| L32 | 1247 | 9 and (channel or track or rail) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/11/18 09:50 |
| L33 | 614 | 10 and (channel or track or rail) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/11/18 09:50 |
| L34 | 663 | 32 and ((cable\$1 or wire\$1 or line\$1 or cabling or wiring or cord\$1) same (channel or track or rail)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/11/18 10:04 |
| L35 | 289 | 33 and ((cable\$1 or wire\$1 or line\$1 or cabling or wiring or cord\$1) same (channel or track or rail)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/11/18 10:01 |
| L45 | 219 | (arm or tube or member or bracket or mount) with (channel or hollow or (open adj2 bottom)) same ((arm or tube or member or bracket or mount) near (cables or wires or lines or cords or wiring or cabling)) | US-PGPUB; USPAT | OR | OFF | 2004/11/18 10:16 |

Search History 11/18/04 10:32:52 AM Page 2 C:\APPS\east\workspaces\10079804.wsp

| | *************************************** | | | | | |
|-----|---|--|----------------------------------|----|-----|------------------|
| L49 | 173 | (((arm or member or bracket or joint or mount) near (hollow or tubular)) same (channel or (open adj2 (bottom or surface or side or wall)))) and ((slot or opening or hole or aperture or passage or passageway or bore) near (cable\$1 or wire\$1 or wiring or cabling or line\$1 or cord\$1)) | US-PGPUB; USPAT | OR | OFF | 2004/11/18 10:26 |
| L50 | 1 | (((arm or member or bracket or joint or mount) near (hollow or tubular)) same (channel or (open adj2 (bottom or surface or side or wall)))) and ((slot or opening or hole or aperture or passage or passageway or bore) near (cable\$1 or wire\$1 or wiring or cabling or line\$1 or cord\$1)) | EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/11/18 10:29 |